

LIMOCIDE - Samples - 2

SECT	ION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING
1.1	Product identifier: LIMOCIDE - Samples - 2
	Other means of identification:
	Non-applicable
1.2	Relevant identified uses of the substance or mixture and uses advised against:
	Relevant uses: Plant Protection Product. For professional users only.
	Uses advised against: All uses not specified in this section or in section 7.3
1.3	Details of the supplier of the safety data sheet:
	SARL VIVAGRO Technopole de Montesquieu, 5 allée Jacques Latrille 33650 Martillac - France Phone: +33 5 57 78 32 68 - Fax: +33 5 57 29 38 35 contact@vivagro.fr www.vivagro.fr
1.4	Emergency telephone number:
SECT	ION 2: HAZARDS IDENTIFICATION
2.1	Classification of the substance or mixture:
	CLP Regulation (EC) No 1272/2008:
	Classification of this product has been carried out in accordance with CLP Regulation (EC) No 1272/2008.
2.2	Acute Tox. 4: Acute inhalation toxicity, Category 4, H332 Eye Irrit. 2: Eye irritation, Category 2, H319 Label elements:
2.2	
	CLP Regulation (EC) No 1272/2008: Warning
	Hazard statements:
	Acute Tox. 4: H332 - Harmful if inhaled. Eye Irrit. 2: H319 - Causes serious eye irritation.
	Precautionary statements:
	 P101: If medical advice is needed, have product container or label at hand. P102: Keep out of reach of children. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P280: Wear protective gloves/protective clothing/respiratory protection/eye protection/protective footwear. P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P337+P313: If eye irritation persists: Get medical advice/attention. P502: Refer to manufacturer or supplier for information on recovery or recycling.
	Supplementary information:
	EUH401: To avoid risks to human health and the environment, comply with the instructions for use.
2.3	Other hazards:
	Product fails to meet PBT/vPvB criteria Endocrine-disrupting properties: The product fails to meet the criteria. The classification of the product was done based on specific studies performed with the product explained in detail in section 11
SECT	ION 3: COMPOSITION/INFORMATION ON INGREDIENTS **

- 3.1 Substance:
- Non-applicable
- 3.2 Mixture:

** Changes with regards to the previous version



ECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS ** (continued)

Chemical description: Mixture of substances

Components:

In accordance with Annex II of Regulation (EC) No 1907/2006 (point 3), the product contains:

	Identification		Chemical name/Classification			
CAS:	25155-30-0	Sodium dodecylbenzenes	Sulfonate ⁽¹⁾ Self-classified			
EC: 246-680-4 Index: Non-applicable REACH: 01-2120088038-51-XXX		Regulation 1272/2008	Acute Tox. 4: H302+H312; Eye Irrit. 2: H319 - Warning	10 - <25 %		
CAS:	68131-40-8	Alcohols, C11-15-seconda	ary, ethoxylated ⁽¹⁾ Self-classified			
EC: Index: REACH:	614-295-4 Non-applicable 01-2119560577-29-XXXX	Regulation 1272/2008	Aquatic Chronic 3: H412	5 - <10 %		
CAS:	8028-48-6	Orange, sweet, ext. ⁽¹⁾	Self-classified			
EC: Index: REACH:	232-433-8 Non-applicable 01-2119493353-35-XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 3: H412; Asp. Tox. 1: H304; Flam. Liq. 3: H226; () () () () () () () () () () () () ()	5 - <10 %		
CAS:	68891-38-3 500-234-8 Non-applicable 01-2119488639-16-XXXX	Alcohols, C12-C14, ethox	ylated, sulphate, sodium salt ⁽¹⁾ Self-classified			
EC: Index: REACH:		Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	1 - <5 %		
CAS:	68439-57-6	Sulfonic acids, C14-16-alk	tane hydroxy and C14-16-alkene, sodium salts ⁽¹⁾ Self-classified			
EC: Index: REACH:	931-534-0 Non-applicable 01-2119513401-57-XXXX	Regulation 1272/2008	Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	1 - <5 %		
CAS:	128-37-0	2,6-di-tert-butyl-p-cresol	n Self-classified			
EC: Index: REACH:	204-881-4 Non-applicable 01-2119555270-46-XXXX	Regulation 1272/2008	Aquatic Acute 1: H400; Aquatic Chronic 1: H410 - Warning	<1 %		

⁽¹⁾ Substances presenting a health or environmental hazard which meet criteria laid down in Regulation (EU) No. 2020/878

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification	Specific concentration limit	
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt CAS: 68891-38-3 EC: 500-234-8	% (w/w) >=10: Eye Dam. 1 - H318 5<= % (w/w) <10: Eye Irrit. 2 - H319	
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts CAS: 68439-57-6 EC: 931-534-0	% (w/w) >=5: Skin Irrit. 2 - H315 % (w/w) >=38: Eye Dam. 1 - H318 5<= % (w/w) <38: Eye Irrit. 2 - H319	

** Changes with regards to the previous version

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures:

The symptoms resulting from intoxication can appear after exposure, therefore, in case of doubt, seek medical attention for direct exposure to the chemical product or persistent discomfort, showing the SDS of this product.

By inhalation:

Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.

By skin contact:

This product is not classified as hazardous when in contact with the skin. However, in case of skin contact it is recommended to remove contaminated clothes and shoes, rinse the skin or if necessary shower the affected person thoroughly with cold water and neutral soap. In case of serious reaction consult a doctor.

By eye contact:

Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, in which case this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.

By ingestion/aspiration:

Do not induce vomiting, but if it does happen keep the head down to avoid aspiration. Keep the person affected at rest. Rinse out the mouth and throat, as they may have been affected during ingestion.





LIMOCIDE - Samples - 2

SECTION 4: FIRST AID MEASURES (continued)

4.2 Most important symptoms and effects, both acute and delayed:

Acute and delayed effects are indicated in sections 2 and 11.

4.3 Indication of any immediate medical attention and special treatment needed:

Non-applicable

SECTION 5: FIREFIGHTING MEASURES

5.1 Extinguishing media:

Suitable extinguishing media:

Product is non-flammable under normal conditions of storage, manipulation and use, but the product contains flammable substances. In the case of inflammation as a result of improper manipulation, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems.

Unsuitable extinguishing media:

IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.

5.2 Special hazards arising from the substance or mixture:

As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.

5.3 Advice for firefighters:

Depending on the magnitude of the fire it may be necessary to use full protective clothing and self-contained breathing apparatus (SCBA). Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...) in accordance with Directive 89/654/EC.

Additional provisions:

Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Eliminate all sources of ignition. In case of fire, cool the storage containers and tanks for products susceptible to combustion, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures:

For non-emergency personnel:

Isolate leaks provided that there is no additional risk for the people performing this task. Evacuate the area and keep out those without protection. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Above all prevent the formation of any vapour-air flammable mixtures, through either ventilation or the use of an inert medium. Remove any source of ignition. Eliminate electrostatic charges by interconnecting all the conductive surfaces on which static electricity could form, and also ensuring that all surfaces are connected to the ground.

For emergency responders:

See section 8.

6.2 Environmental precautions:

Avoid spillage into the aquatic environment as it contains substances potentially dangerous for this. Contain the product absorbed in hermetically sealed containers. In the case of serious spillage into the aquatic environment notify the relevant authority.

6.3 Methods and material for containment and cleaning up:

It is recommended:

Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

6.4 Reference to other sections:

See sections 8 and 13.

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling:

A.- General precautions for safe use



LIMOCIDE - Samples - 2

SECTION 7: HANDLING AND STORAGE (continued)

Comply with the current legislation concerning the prevention of industrial risks with regards manually handling weights. Maintain order, cleanliness and destroy using safe methods (section 6).

B.- Technical recommendations for the prevention of fires and explosions

Avoid the evaporation of the product as it contains flammable substances, which could form flammable vapour/air mixtures in the presence of sources of ignition. Control sources of ignition (mobile phones, sparks,...) and transfer at slow speeds to avoid the creation of electrostatic charges. Consult section 10 for conditions and materials that should be avoided.

- C.- Technical recommendations on general occupational hygiene
 - Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.
- D.- Technical recommendations to prevent environmental risks

It is recommended to have absorbent material available at close proximity to the product (See subsection 6.3)

7.2 Conditions for safe storage, including any incompatibilities:

- A.- Technical measures for storage
 - Minimum Temp.:0 °CMaximum Temp.:25 °CMaximum time:24 Months
- B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see subsection 10.5

7.3 Specific end use(s):

Except for the instructions already specified it is not necessary to provide any special recommendation regarding the uses of this product.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (European OEL, not country-specific legislation):

There are no applicable occupational exposure limits for the substances contained in the product

DNEL (Workers):

		Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local	
Sodium dodecylbenzenesulfonate	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 25155-30-0	Dermal	80 mg/kg	Non-applicable	57,2 mg/kg	Non-applicable	
EC: 246-680-4	Inhalation	52 mg/m ³	52 mg/m ³	52 mg/m³	52 mg/m ³	
Alcohols, C11-15-secondary, ethoxylated	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 68131-40-8	Dermal	Non-applicable	Non-applicable	6 mg/kg	Non-applicable	
EC: 614-295-4	Inhalation	Non-applicable	Non-applicable	42,32 mg/m ³	Non-applicable	
Orange, sweet, ext.	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 8028-48-6	Dermal	Non-applicable	Non-applicable	8,89 mg/kg	Non-applicable	
EC: 232-433-8	Inhalation	Non-applicable	Non-applicable	31,1 mg/m ³	Non-applicable	
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	2750 mg/kg	Non-applicable	
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	175 mg/m³	Non-applicable	
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 68439-57-6	Dermal	Non-applicable	Non-applicable	2158,33 mg/kg	Non-applicable	
EC: 931-534-0	Inhalation	Non-applicable	Non-applicable	152,22 mg/m³	Non-applicable	
2,6-di-tert-butyl-p-cresol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable	
CAS: 128-37-0	Dermal	Non-applicable	Non-applicable	0,5 mg/kg	Non-applicable	
EC: 204-881-4	Inhalation	Non-applicable	Non-applicable	3,5 mg/m³	Non-applicable	



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

	Short	Short exposure		Long exposure	
Identification		Systemic	Local	Systemic	Local
Sodium dodecylbenzenesulfonate	Oral	13 mg/kg	Non-applicable	13 mg/kg	Non-applicable
CAS: 25155-30-0	Dermal	40 mg/kg	Non-applicable	28,6 mg/kg	Non-applicable
EC: 246-680-4	Inhalation	26 mg/m ³	26 mg/m ³	26 mg/m ³	26 mg/m ³
Alcohols, C11-15-secondary, ethoxylated	Oral	Non-applicable	Non-applicable	3 mg/kg	Non-applicable
CAS: 68131-40-8	Dermal	Non-applicable	Non-applicable	3 mg/kg	Non-applicable
EC: 614-295-4	Inhalation	Non-applicable	Non-applicable	21,16 mg/m ³	Non-applicable
Orange, sweet, ext.	Oral	Non-applicable	Non-applicable	4,44 mg/kg	Non-applicable
CAS: 8028-48-6	Dermal	Non-applicable	Non-applicable	4,44 mg/kg	Non-applicable
EC: 232-433-8	Inhalation	Non-applicable	Non-applicable	7,78 mg/m ³	Non-applicable
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	Oral	Non-applicable	Non-applicable	15 mg/kg	Non-applicable
CAS: 68891-38-3	Dermal	Non-applicable	Non-applicable	1650 mg/kg	Non-applicable
EC: 500-234-8	Inhalation	Non-applicable	Non-applicable	52 mg/m ³	Non-applicable
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Oral	Non-applicable	Non-applicable	12,95 mg/kg	Non-applicable
CAS: 68439-57-6	Dermal	Non-applicable	Non-applicable	1295 mg/kg	Non-applicable
EC: 931-534-0	Inhalation	Non-applicable	Non-applicable	45,04 mg/m ³	Non-applicable
2,6-di-tert-butyl-p-cresol	Oral	Non-applicable	Non-applicable	Non-applicable	Non-applicable
CAS: 128-37-0	Dermal	Non-applicable	Non-applicable	0,25 mg/kg	Non-applicable
EC: 204-881-4	Inhalation	Non-applicable	Non-applicable	0,86 mg/m ³	Non-applicable
PNEC:		-			-
Identification					
Sodium dodecylbenzenesulfonate	STP	50 mg/L	Fresh water		0,693 mg/L
CAS: 25155-30-0	Soil	25 mg/kg	Marine water		1 mg/L
EC: 246-680-4	Intermittent	0,654 mg/L	Sediment (Fresh	water)	27,5 mg/kg
	Oral	0,02 g/kg	Sediment (Marine	e water)	2,75 mg/kg
Alcohols, C11-15-secondary, ethoxylated	STP	8,24 mg/L	Fresh water		0,02 mg/L
CAS: 68131-40-8	Soil	5,6 mg/kg	Marine water		0,002 mg/L
EC: 614-295-4	Intermittent	0,0153 mg/L	Sediment (Fresh	water)	28,1 mg/kg
	Oral	0,0222 g/kg	Sediment (Marine	e water)	2,81 mg/kg
Orange, sweet, ext.	STP	2,1 mg/L	Fresh water		0,0054 mg/L
CAS: 8028-48-6	Soil	0,261 mg/kg	Marine water		0,00054 mg/L
EC: 232-433-8	Intermittent	0,00577 mg/L	Sediment (Fresh	water)	1,3 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water)	0,13 mg/kg
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	STP	10000 mg/L	Fresh water		0,24 mg/L
CAS: 68891-38-3	Soil	7,5 mg/kg	Marine water		0,024 mg/L
EC: 500-234-8	Intermittent	0,071 mg/L	Sediment (Fresh	water)	0,917 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water)	0,092 mg/kg
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	STP	4 mg/L	Fresh water		0,024 mg/L
CAS: 68439-57-6	Soil	1,21 mg/kg	Marine water		0,002 mg/L
EC: 931-534-0	Intermittent	0,02 mg/L	Sediment (Fresh	water)	0,767 mg/kg
	Oral	Non-applicable	Sediment (Marine	e water)	0,077 mg/kg
2,6-di-tert-butyl-p-cresol	STP	0,17 mg/L	Fresh water		0,000199 mg/L
CAS: 128-37-0	Soil	0,04769 mg/kg	Marine water		0,00002 mg/L
EC: 204-881-4	Intermittent	0,00199 mg/L	Sediment (Fresh	water)	0,0996 mg/kg
	Oral	0,00833 g/kg	Sediment (Marine		0,00996 mg/kg

8.2 Exposure controls:

A.- Individual protection measures, such as personal protective equipment

As a preventative measure it is recommended to use basic Personal Protective Equipment, with the corresponding <<CE marking>> in accordance with Regulation (EU) 2016/425. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the company has additional measures at its disposal.



SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION (continued)

B.- Respiratory protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory respiratory tract protection	Filter mask for gases and vapours		EN 405:2002+A1:2010	Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory hand protection	Protective gloves against minor risks	CATI		Replace gloves in case of any sign of damage. For prolonged periods of exposure to the product for professional users/industrials, we recommend using CE III gloves in line with standards EN 420:2004+A1:2010 and EN ISO 374-1:2016+A1:2018

As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

D.- Eye and face protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
Mandatory face protection	Panoramic glasses against splash/projections.	CAT II	EN 166:2002 EN ISO 4007:2018	Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

E.- Body protection

Pictogram	PPE	Labelling	CEN Standard	Remarks
	Work clothing	CATI		Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 6529:2013, EN ISO 6530:2005, EN ISO 13688:2013, EN 464:1994.
	Anti-slip work shoes		EN ISO 20347:2012	Replace before any evidence of deterioration. For periods of prolonged exposure to the product for professional/industrial users CE III is recommended, in accordance with the regulations in EN ISO 20345:2012 y EN 13832-1:2007

F.- Additional emergency measures

Emergency measure	Standards	Emergency measure	Standards
Emergency shower	ANSI Z358-1 ISO 3864-1:2011, ISO 3864-4:2011	Evewash stations	DIN 12 899 ISO 3864-1:2011, ISO 3864-4:2011

Environmental exposure controls:

In accordance with the community legislation for the protection of the environment it is recommended to avoid environmental spillage of both the product and its container. For additional information see subsection 7.1.D

Volatile organic compounds:

With regard to Directive 2010/75/EU, this product has the following characteristics:

V.O.C. (Supply):	0 % weight
V.O.C. density at 20 ºC:	0 kg/m³ (0 g/L)
Average carbon number:	Non-applicable
Average molecular weight:	Non-applicable

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties:

*Not relevant due to the nature of the product, not providing information property of its hazards.



SECT	ION 9: PHYSICAL AND CHEMICAL PROPERTIES (cor	ntinued)
	For complete information see the product datasheet.	
	Appearance:	
	Physical state at 20 °C:	Liquid
	Appearance:	Characteristic
	Colour:	Blue
	Odour:	Citric
	Odour threshold:	Non-applicable *
	Volatility:	
	Boiling point at atmospheric pressure:	<100 ºC
	Vapour pressure at 20 °C:	<2321 Pa
	Vapour pressure at 50 [°] C:	12228,63 Pa (12,23 kPa)
	Evaporation rate at 20 °C:	Non-applicable *
	Product description:	
	Density at 20 °C:	1026,7 kg/m³
	Relative density at 20 ºC:	0,8 - 1,2
	Dynamic viscosity at 20 ºC:	77 - 83 cP
	Kinematic viscosity at 20 °C:	77 - 83 mm²/s
	Kinematic viscosity at 40 ºC:	Non-applicable *
	Concentration:	Non-applicable *
	pH:	7 - 9 (at 25 %)
	Vapour density at 20 °C:	Non-applicable *
	Partition coefficient n-octanol/water 20 ºC:	Non-applicable *
	Solubility in water at 20 °C:	Non-applicable *
	Solubility properties:	Non-applicable *
	Decomposition temperature:	Non-applicable *
	Melting point/freezing point:	Non-applicable *
	Flammability:	
	Flash Point:	>110 °C (Pensky-Martins (CC)) (Does not maintain combustion)
	Flammability (solid, gas):	Non-applicable *
	Autoignition temperature:	~424 - 436 ºC
	Lower flammability limit:	Non-applicable *
	Upper flammability limit:	Non-applicable *
	Particle characteristics:	
	Median equivalent diameter:	Non-applicable
9.2	Other information:	
	Information with regard to physical hazard classes:	
	Explosive properties:	Non-applicable *
	Oxidising properties:	Non-applicable *
	Corrosive to metals:	Non-applicable *
	Heat of combustion:	Non-applicable *
	Aerosols-total percentage (by mass) of flammable components:	Non-applicable *
	Other safety characteristics:	
	Surface tension at 20 °C:	~0,03 - 0,03 N/m
	Refraction index:	Non-applicable *
	*Not relevant due to the nature of the product, not providing informa	ation property of its hazards.



LIMOCIDE - Samples - 2

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity:

No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

10.2 Chemical stability:

Chemically stable under the indicated conditions of storage, handling and use.

10.3 Possibility of hazardous reactions:

Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

10.4 Conditions to avoid:

Applicable for handling and storage at room temperature:

Shock and friction	Contact with air	Increase in temperature	Sunlight	Humidity
Not applicable	Not applicable	Precaution	Precaution	Not applicable

10.5 Incompatible materials:

Acids	Water	Oxidising materials	Combustible materials	Others
Avoid strong acids	Not applicable	Avoid direct impact	Not applicable	Avoid alkalis or strong bases

10.6 Hazardous decomposition products:

See subsection 10.3, 10.4 and 10.5 to find out the specific decomposition products. Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO_2), carbon monoxide and other organic compounds.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than the recommended occupational exposure limits, adverse effects on health may result, depending on the means of exposure:

- A- Ingestion (acute effect):
 - Acute toxicity : Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.
- B- Inhalation (acute effect):
 - Acute toxicity : Exposure in high concentration can interfere with the central nervous system causing headache, dizziness, vertigo, nausea, vomiting, confusion, and in serious cases, loss of consciousness.
 - Corrosivity/Irritability: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- C- Contact with the skin and the eyes (acute effect):

- Contact with the skin: Based on available data, the classification criteria are not met. However, it contains substances classified as hazardous for skin contact. For more information see section 3.

- Contact with the eyes: Produces eye damage after contact.

- D- CMR effects (carcinogenicity, mutagenicity and toxicity to reproduction):
 - Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for the effects mentioned. For more information see section 3.
 - IARC: 2,6-di-tert-butyl-p-cresol (3)

- Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Reproductive toxicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- E- Sensitizing effects:
 - Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous with sensitising effects. For more information see section 3.
 - Skin: Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous with sensitising effects. For more information see section 3.
- F- Specific target organ toxicity (STOT) single exposure:
- Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.



LIMOCIDE - Samples - 2

SECTION 11: TOXICOLOGICAL INFORMATION (continued)

G- Specific target organ toxicity (STOT)-repeated exposure:

- Specific target organ toxicity (STOT)-repeated exposure: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.

- Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as hazardous for this effect. For more information see section 3.
- H- Aspiration hazard:

Based on available data, the classification criteria are not met. However, it does contain substances classified as hazardous for this effect. For more information see section 3.

Other information:

ACCORDING TO LIMOCIDE REGISTRATION and ADDITIONNAL STUDY:

- Skin Irritation: After a single dermal application of 0.5 ml of LIMOCIDE to New Zealand White rabbits (males), LIMOCIDE is not irritating to the skin. In accordance with Regulation (EC) No 1272/2008, LIMO-CIDE is not classified.

- Skin sensitisation: A response of at least 30% is considered as positive for the adjuvant type test (FCA) as per the Globally Harmonized System of Classification and Labelling of Chemicals (GHS 2013) and a sensi-tization rate of zero percent at 24 and 48 h post patch removal was observed in the present study using an adjuvant. Hence LIMOCIDE is being classified as "Not considered as positive" for sensiti-sation as per the Globally Harmonized System of Classification and Labelling of Chemicals (GHS 2013). Since 0% of Test group animals exhibited challenge scores greater than zero, LIMOCIDE was given a sensitization potency rating of non-sensitizer. According to Regulation (EC) No. 1272/2008, LIMOCIDE is not a skin sensitiser. Thus, no classification is required.

Product-specific toxicological information:

Acute toxicity		Genus
LD50 oral	>2000 mg/kg	Rat
LD50 dermal	>2000 mg/kg	Rat

Specific toxicology information on the substances:

Identification		Acute toxicity	Genus
Sodium dodecylbenzenesulfonate	LD50 oral	438 mg/kg	Rat
CAS: 25155-30-0	LD50 dermal	Non-applicable	
EC: 246-680-4	LC50 inhalation	Non-applicable	
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	LD50 oral	4100 mg/kg	Rat
CAS: 68891-38-3	LD50 dermal	Non-applicable	
EC: 500-234-8	LC50 inhalation	Non-applicable	
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	LD50 oral	2290 mg/kg	Rat
CAS: 68439-57-6	LD50 dermal	6300 mg/kg	Rabbit
EC: 931-534-0	LC50 inhalation	Non-applicable	
2,6-di-tert-butyl-p-cresol	LD50 oral	10000 mg/kg	Rat
CAS: 128-37-0	LD50 dermal	Non-applicable	
EC: 204-881-4	LC50 inhalation	Non-applicable	

11.2 Information on other hazards:

Endocrine disrupting properties * Changes with regards to the previous version

Endocrine-disrupting properties: The product fails to meet the criteria.

Other information

Non-applicable



SECTION 12: ECOLOGICAL INFORMATION **

12.1 Toxicity:

Product-specific aquatic toxicity:

Acute toxicity		Species	Genus
LC50	27,58 mg/L (96 h)	Cyprinus carpio	Fish
EC50	28,36 mg/L (48 h)	Daphnia magna	Crustacean
EC50	95,48 mg/L (72 h)	Pseudokirchneriella subcapitata	Algae

Substance-specific aquatic toxicity:

Acute toxicity:

Identification		Concentration	Species	Genus
Alcohols, C11-15-secondary, ethoxylated	LC50	>10 - 100 (96 h)		Fish
CAS: 68131-40-8	EC50	>10 - 100 (48 h)		Crustacean
EC: 614-295-4	EC50	>10 - 100 (72 h)		Algae
Orange, sweet, ext.	LC50	>0.1 - 1 (96 h)		Fish
CAS: 8028-48-6	EC50	>0.1 - 1 (48 h)		Crustacean
EC: 232-433-8	EC50	>0.1 - 1 (72 h)		Algae
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	LC50	7,1 mg/L (96 h)	Danio rerio	Fish
CAS: 68891-38-3	EC50	7,4 mg/L (48 h)	Daphnia magna	Crustacear
EC: 500-234-8	EC50	27 mg/L (72 h)	Scenedesmus subspicatus	Algae
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	LC50	4,2 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 68439-57-6	EC50	4,53 mg/L (48 h)	Daphnia magna	Crustacear
EC: 931-534-0	EC50	5,2 mg/L (72 h)	Skeletonema costatum	Algae
2,6-di-tert-butyl-p-cresol	LC50	0,57 mg/L (96 h)	Brachydanio rerio	Fish
CAS: 128-37-0	EC50	0,61 mg/L (48 h)	Daphnia magna	Crustacear
EC: 204-881-4	EC50	Non-applicable		
Chronic toxicity:				
Identification		Concentration	Species	Genus
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	NOEC	0,2 mg/L	Oncorhynchus mykiss	Fish
CAS: 68891-38-3 EC: 500-234-8	NOEC	0,27 mg/L	Daphnia magna	Crustacear
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	NOEC	Non-applicable		
CAS: 68439-57-6 EC: 931-534-0	NOEC	6,3 mg/L	Daphnia magna	Crustacear
2,6-di-tert-butyl-p-cresol	NOEC	0,053 mg/L	Oryzias latipes	Fish

NOEC

0,069 mg/L

Daphnia magna

12.2

CAS: 128-37-0 EC: 204-881-4

Persistence and degradability:

** Changes with regards to the previous version

Crustacean

SECTION 12: ECOLOGICAL INFORMATION ** (continued)

Identification		radability	Biodegradability	
Alcohols, C12-C14, ethoxylated, sulphate, sodium salt	BOD5	Non-applicable	Concentration	10.5 mg/L
CAS: 68891-38-3	COD	Non-applicable	Period	28 days
EC: 500-234-8	BOD5/COD	Non-applicable	% Biodegradable	100 %
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	BOD5	Non-applicable	Concentration	20 mg/L
CAS: 68439-57-6	COD	Non-applicable	Period	28 days
EC: 931-534-0	BOD5/COD	Non-applicable	% Biodegradable	96 %
2,6-di-tert-butyl-p-cresol	BOD5	Non-applicable	Concentration	50 mg/L
CAS: 128-37-0	COD	Non-applicable	Period	28 days
EC: 204-881-4	BOD5/COD	Non-applicable	% Biodegradable	4,5 %

12.3 Bioaccumulative potential:

Identification	Bioaccumulation potential		
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	BCF	71	
CAS: 68439-57-6	Pow Log	-1.3	
EC: 931-534-0	Potential	Moderate	
2,6-di-tert-butyl-p-cresol	BCF	1365	
CAS: 128-37-0	Pow Log	5.1	
EC: 204-881-4	Potential	Very High	

12.4 Mobility in soil:

Identification	Absorption/desorption		Volatility	
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	Кос	1.6	Henry	6,7E-2 Pa∙m³/mol
CAS: 68439-57-6	Conclusion	Very High	Dry soil	Yes
EC: 931-534-0	Surface tension	Non-applicable	Moist soil	Yes
2,6-di-tert-butyl-p-cresol	Кос	8183	Henry	3,42E-1 Pa·m³/mol
CAS: 128-37-0	Conclusion	Immobile	Dry soil	Yes
EC: 204-881-4	Surface tension	1,255E-2 N/m (258,85 ºC)	Moist soil	Yes

12.5 Results of PBT and vPvB assessment:

Product fails to meet PBT/vPvB criteria

12.6 Endocrine disrupting properties:

Endocrine-disrupting properties: The product fails to meet the criteria.

12.7 Other adverse effects:

Not described

** Changes with regards to the previous version



SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods:

Code	Description	Waste class (Regulation (EU) No 1357/2014)
	It is not possible to assign a specific code, as it depends on the intended use by the user	Dangerous

Type of waste (Regulation (EU) No 1357/2014):

HP4 Irritant — skin irritation and eye damage

Waste management (disposal and evaluation):

Consult the authorized waste service manager on the assessment and disposal operations in accordance with Annex 1 and Annex 2 (Directive 2008/98/EC). As under 15 01 (2014/955/EC) of the code and in case the container has been in direct contact with the product, it will be processed the same way as the actual product. Otherwise, it will be processed as non-dangerous residue. Waste should not be disposed of to drains. See paragraph 6.2.

Regulations related to waste management:

In accordance with Annex II of Regulation (EC) No 1907/2006 (REACH) the community or state provisions related to waste management are stated

Community legislation: Directive 2008/98/EC, 2014/955/EU, Regulation (EU) No 1357/2014

SECTION 14: TRANSPORT INFORMATION

Transport of dangerous goods by land:

With regard to ADR 2021 and RID 2021:

14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Environmental hazards:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	Tunnel restriction code:	Non-applicable
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport	t of dangerous goods by sea:	
With rega	ard to IMDG 39-18:	
14.1	UN number or ID number:	Non-applicable
14.2	UN proper shipping name:	Non-applicable
14.3	Transport hazard class(es):	Non-applicable
	Labels:	Non-applicable
14.4	Packing group:	Non-applicable
14.5	Marine pollutant:	No
14.6	Special precautions for user	
	Special regulations:	Non-applicable
	EmS Codes:	
	Physico-Chemical properties:	see section 9
	Limited quantities:	Non-applicable
	Segregation group:	Non-applicable
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable
Transport	t of dangerous goods by air:	
With rega	ard to IATA/ICAO 2022:	

Safety data sheet



This SDS is an English translation of COMMISSION REGULATION (EU) 2020/878, without any country-specific legislation

LIMOCIDE - Samples - 2

SECTION 14: TR	ANSPORT INFORMATION (cont	tinued)	
14.1	UN number or ID number:	Non-applicable	
14.2	UN proper shipping name:	Non-applicable	
14.3	Transport hazard class(es):	Non-applicable	
	Labels:	Non-applicable	
14.4	Packing group:	Non-applicable	
14.5	Environmental hazards:	No	
14.6	Special precautions for user		
	Physico-Chemical properties:	see section 9	
14.7	Maritime transport in bulk according to IMO instruments:	Non-applicable	

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Regulation (EC) No 528/2012: contains a preservative to protect the initial properties of the treated article. Contains 2-phenoxyethanol.

Candidate substances for authorisation under the Regulation (EC) No 1907/2006 (REACH): Non-applicable

Substances included in Annex XIV of REACH ("Authorisation List") and sunset date: Non-applicable

Regulation (EC) No 1005/2009, about substances that deplete the ozone layer: Non-applicable

Article 95, REGULATION (EU) No 528/2012: Orange, sweet, ext. (Product-type 19)

REGULATION (EU) No 649/2012, in relation to the import and export of hazardous chemical products: Non-applicable

Seveso III:

Non-applicable

Limitations to commercialisation and the use of certain dangerous substances and mixtures (Annex XVII REACH, etc):

Shall not be used in:

-ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays, -tricks and jokes,

-games for one or more participants, or any article intended to be used as such, even with ornamental aspects.

Specific provisions in terms of protecting people or the environment:

It is recommended to use the information included in this safety data sheet as a basis for conducting workplace-specific risk assessments in order to establish the necessary risk prevention measures for the handling, use, storage and disposal of this product.

Other legislation:

The product could be affected by sectorial legislation

15.2 Chemical safety assessment:

The supplier has not carried out evaluation of chemical safety.

SECTION 16: OTHER INFORMATION

Legislation related to safety data sheets:

The SDS shall be supplied in an official language of the country where the product is placed on the market. This safety data sheet has been designed in accordance with ANNEX II-Guide to the compilation of safety data sheets of Regulation (EC) No 1907/2006 (COMMISSION REGULATION (EU) 2020/878).

Modifications related to the previous Safety Data Sheet which concerns the ways of managing risks.:

COMPOSITION/INFORMATION ON INGREDIENTS (SECTION 3, SECTION 12):

· New declared substances

Alcohols, C11-15-secondary, ethoxylated (68131-40-8)

Removed substances

Alcohols, C11-15-secondary, ethoxylated (68131-40-8)

Texts of the legislative phrases mentioned in section 2:

H332: Harmful if inhaled.

H319: Causes serious eye irritation.

Texts of the legislative phrases mentioned in section 3:

The phrases indicated do not refer to the product itself; they are present merely for informative purposes and refer to the individual components which appear in section 3



LIMOCIDE - Samples - 2

CT	CTION 16: OTHER INFORMATION (continued)	
	CLP Regulation (EC) No 1272/2008:	
	Acute Tox. 4: H302+H312 - Harmful if swallowed or in contact with skin.	
	Aquatic Acute 1: H400 - Very toxic to aquatic life.	
	Aquatic Chronic 1: H410 - Very toxic to aquatic life with long lasting effects.	
	Aquatic Chronic 3: H412 - Harmful to aquatic life with long lasting effects.	
	Asp. Tox. 1: H304 - May be fatal if swallowed and enters airways.	
	Eye Dam. 1: H318 - Causes serious eye damage.	
	Eye Irrit. 2: H319 - Causes serious eye irritation.	
	Flam. Liq. 3: H226 - Flammable liquid and vapour.	
	Skin Irrit. 2: H315 - Causes skin irritation.	
	Skin Sens. 1B: H317 - May cause an allergic skin reaction.	
	Advice related to training:	
	Training is recommended in order to prevent industrial risks for staff using this product and to facilitate their comprehension and	
	interpretation of this safety data sheet, as well as the label on the product.	
	Principal bibliographical sources:	
	http://echa.europa.eu	
	http://eur-lex.europa.eu	
	Abbreviations and acronyms:	
	ADR: European agreement concerning the international carriage of dangerous goods by road	
	IMDG: International maritime dangerous goods code	
	IATA: International Air Transport Association	
	ICAO: International Civil Aviation Organisation	
	COD: Chemical Oxygen Demand	
	BOD5: 5day biochemical oxygen demand	
	BCF: Bioconcentration factor	
	LD50: Lethal Dose 50	
	LC50: Lethal Concentration 50	
	EC50: Effective concentration 50	
	LogPOW: Octanolwater partition coefficient	
	Koc: Partition coefficient of organic carbon	
	UFI: unique formula identifier	
	IARC: International Agency for Research on Cancer	

The information contained in this safety data sheet is based on sources, technical knowledge and current legislation at European and state level, without being able to guarantee its accuracy. This information cannot be considered a guarantee of the properties of the product, it is simply a description of the security requirements. The occupational methodology and conditions for users of this product are not within our awareness or control, and it is ultimately the responsibility of the user to take the necessary measures to obtain the legal requirements concerning the manipulation, storage, use and disposal of chemical products. The information on this safety data sheet only refers to this product, which should not be used for needs other than those specified.